

Who are we?

A French manufacturer of innovative pressure vessels: light, corrosion-free and recyclable, for all water applications.












French but international

54% of our turnover comes from non-French customers



Our signature





Durable pressure vessels

A seamless, linerless monolithic structure, totally corrosion-free.

An **extreme resistance** to pressure cycles, even in the toughest environments.



Made of recyclable materials

Unlike other fiberglass tanks, the **thermoplastic materials** of *Compose It* tanks are thought to be easily recyclable.



Easy to install and maintain

Twice **lighter** than steel, the *Compose It* tanks can be handled and installed very easily.

Their large opening allows an easy clean-up and maintenance of internal parts, to **fully benefit the long lifetime** of the external shell.



Made close-by

Human-size production units, as close as possible to our customers.




The proximity and reactivity of an SME, backed up by a global network of partners with **20+ years of expertise**.

Our applications

Well water

A complete range of light, corrosion-free and recyclable pressure vessels, for all applications from well to use point.



Water treatment









From **standard equipments** to **specifically designed solutions**,

for water treatment in **all sectors**: agriculture, industry, residential, tertiary


Ongoing developments

Sanitary hot water Compressed air Fire protection

Reach out to us for any pressure tank project!

Our products

Compose It: Pressure tanks for water treatment



Bladder tank RE-V

Pressure regulation

RE-H Pressure Oxydation

Hydrophore


Filtration Aeration

Filtration Inlet & Outlet on the top Inlet up / Outlet down RE-FTOP

RE-FDEP Filtration (Direct head mount) (Remote head mount)

Contact time **RE-TC** Chloration

Kleanwater Water treatment equipments



Turbidity filter KW-FTU

Filtration 3 - 5 microns Rainwater Wellwater


Specific projects

- **Audit** of water installations
- **Conception** of specific installations
- **Support** for installation and start-up
- **Spécifiques** machines



Range of pressure tanks

Bladder expansion tank



COMPOSE IV

Air valve

Easily accessible to control the air pressure and refill when needed

Exclusive Compose It bladder

Unique TPU-based bladder, specifically formulated for a great **tightness** and for a **long life**: Extremely thin and **flexible**, and larger than the tank to **avoid any stress** during pressure cycles

Compose It tank

Very long lifetime, corrosion-free and lightweight.
Unique **linerless** technology using **recyclable** materials.

Customisable band sticker

Show **your brand** on the tank

Large opening

Easy bladder replacement

Easy bladder replacement for a **durable** and **repairable** product
Tank warranty 10years / Bladder warranty 2years

Volumes

60 - 115 - 150 - 230 - 300 - 450 L

Working pressure 8 bar
















Hydrophore tanks





Direct pressure switch mounting

Easy access on top of the tank

Compose It tank

Very long lifetime, corrosion-free and lightweight. Unique **linerless** technology using **recyclable** materials.

Customisable band sticker

Show **your brand** on the tank

Side hole

Allow connected accessories for installation with underwater pump (Pulsair 4) or surface pump (Ariamat)

Separate inlet & outlet

For a better **air injection** inside the tank

Underwater pump

- Air injection when the pump stops & starts (Pulsair 3)

pressure

8bar

- Air level regulation inside the tank (Pulsair 4)




Surface pump

- Injection and air level regulation with an Ariamat air injector device










Filtration tank - Direct head mount





Volumes 115 - 150 - 230 - 300 - 450L

Working pressure

8har



Filtration head screwed on the top

Custom thread to fit your equipment

Easy and fast demounting

160mm opening leaving room for both hands. Saves time for interventions and media fill-up

Compose It tank

Very long lifetime, corrosion-free and lightweight. Unique linerless technology using recyclable materials.

Customisable band sticker

Show **your brand** on the tank

Collectors mounted and fixed

Saves time during installation. Stays in place for long-term reliability.

Drain valve

Eases and reduces the maintenance time.












Filtration tank - remote head mount



Inlet at the top, outlet at the bottom

Flexible options for your conceptions. Water spreader at the top, 0.2mm slot collectors at the bottom.

Collectors mounted and fixed

Saves time during installation. Stays in place for long-term **reliability**.

Up to 4 inch thread in the lids

Enables using large piping diameters in order to reach very high flow rates

Easy and fast demounting

160mm opening leaving room for both hands. Saves time for interventions and media fill-up

Customisable hand sticker

Show **your brand** on the tank

Compose It tank

Very long lifetime, corrosion-free and lightweight. Unique **linerless** technology using **recyclable** materials.











Working pressure

8har

Contact time / chloration tank



Inlet at the top, outlet at the bottom

Flexible options for your conceptions.

Up to 4 inch thread in the lids

Customizable to your specifications.

Enables using large piping diameters in order to reach very high flow rates

Easy and fast demounting

160mm opening leaving room for both hands. Saves intervention and assembling time.



Show **your brand** on the tank

Compose It tank

Very long lifetime, corrosion-free and lightweight.
Unique linerless technology using recyclable materials.





Working pressure

230 - 300 - 450L

8 bar


| | Tank volume | Average consumption flow |
|------------|-------------|--------------------------|
| Selection | 150L | 450 - 500 L/h |
| assistance | 300L | 900 - 1400 L/h |
| | 450L | 1350 - 2000 L/h |



Water treatment solutions

Tanks, assembled with heads and filtration medium

Catalytic glass filter



KW-FTU

Volumes and flows

18"-150 L 6 m³/h 18"-245 L 6 m³/h

24"-300 L 10 m³/h 24"-450 L 10 m³/h **Working pressure** 6bar

100% natural filtration Recyclable tank and filtration media



A **complete filtration solution**, ideal for **rainwater** and **wellwater**

- Filtration tank **Compose It RE-FTOP** recyclable & drinking-water approved
- Filtration head included
- Collector system pre-assembled (to save installation time)
- **Filtration media** (easy to introduce through the large opening)

| | Compose It | Classical |
|-----------------------------|---------------|--------------------------|
| | Filter | sand filter |
| Filtration flow rate (m3/h) | up to 32 m³/h | 8 - 12 m ³ /h |
| Size of particles filtered | down to 10 µm | 25 - 30 µm |

Catalytic glass beads: The ecological alternative to sand



Excellent filtration performance (1-5 µm)

Prevents the formation of biofilm and reduces limescale deposits

Prevents pressure drop to save water during backwashing



-30% to -60% Water savings at backwash 100% recycled
100% recyclable
Reduced ecological
footprint

-20% to -30% Energy savings

Contact us for all your needs of **pressure tanks**

info@composeit.fr